

Deceleratori

Deceleratori Idraulici Mega-Line



Codice	Filetto	A	B	Corsa HB	D
		mm	mm	mm	Ø
M4 - M12					
WS-M 4x4	M 4x0.35	29.0	25.0	4	1.5
WS-M 5x4	M 5x0.5	29.0	25.0	4	1.5
WS-M 6x5	M 6x0.5	32.0	27.0	5	2.0
WS-M 8x5	M 8x1	35.0	30.0	5	2.3
WS-M 10x6	M 10x1	37.0	31.0	6	3.0
WS-M 10x8	M 10x1	48.0	40.0	8	3.0
WS-M 12x10	M 12x1	61.0	51.0	10	4.0
M0.1 - M0.2					
WE-M 0.1	M 8x1	56.0	45.0	7	2.5
WS-M 0.1	M 8x1	51.0	44.0	7	2.5
WP-M 0.1	M 8x1	51.0	44.0	7	2.5
WE-M 0.15	M 10x1	62.0	48.5	10	3.0
WS-M 0.15	M 10x1	59.5	49.5	10	3.0
WP-M 0.15	M 10x1	59.5	49.5	10	3.0
WE-M 0.2	M 12x1	81.5	66.0	12	4.0
WS-M 0.2	M 12x1	77.0	65.0	12	4.0
WP-M 0.2	M 12x1	77.0	65.0	12	4.0

Deceleratori Idraulici Mega-Line



Codice	Filetto	A	B	Corsa HB	D
		mm	mm	mm	Ø
M0.25 - M0.35					
WE-M 0.25	M 14x1	97	78	14	4
WE-M 0.25	M 14x1	92	78	14	4
WE-M 0.25	M 14x1	92	78	14	4
WE-M 0.35	M 16x1	97	78	14	4
WE-M 0.35	M 16x1	92	78	14	4
WE-M 0.35	M 16x1	92	78	14	4
M0.5					
WE-M 0.5x13	M 20x1	94	75	13	6
WS-M 0.5x13	M 20x1	88	75	13	6
WP-M 0.5x13	M 20x1	88	75	13	6
WE-M 0.5x19	M 20x1	113	88	19	6
WS-M 0.5x19	M 20x1	107	88	19	6
WP-M 0.5x19	M 20x1	107	88	19	6
WE-M 0.5x40	M 20x1	171	125	40	6
WS-M 0.5x40	M 20x1	165	125	40	6
WP-M 0.5x40	M 20x1	165	125	40	6
M1.0					
WE-M 1.0	M 24x1.5	141	108	25	8
WS-M 1.0	M 24x1.5	133	108	25	8
WP-M 1.0	M 24x1.5	133	108	25	8
WE-M 1.0x40	M 24x1.5	178	130	40	8
WS-M 1.0x40	M 24x1.5	170	130	40	8
WP-M 1.0x40	M 24x1.5	170	130	40	8
WE-M 1.0x80	M 24x1.5	321	233	80	8
WS-M 1.0x80	M 24x1.5	313	233	80	8
WP-M 1.0x80	M 24x1.5	313	233	80	8

Deceleratori

Deceleratori Idraulici Mega-Line

Accessori



Codice	Filetto	A	B	Corsa HB	D	D1
		mm	mm			
M1.25						
WE-M 1.25x1	M 32x1.5	138	85	25	29	21
WS-M 1.25x1	M 32x1.5	138	85	25	29	21
WP-M 1.25x1	M 32x1.5	138	85	25	29	21
WE-M 1.25x2	M 32x1.5	188	110	50	29	21
WS-M 1.25x2	M 32x1.5	188	110	50	29	21
WP-M 1.25x2	M 32x1.5	188	110	50	29	21
WE-M 1.25x3	M 32x1.5	243	140	75	29	21
WS-M 1.25x3	M 32x1.5	243	140	75	29	21
WP-M 1.25x3	M 32x1.5	243	140	75	29	21
M1.5						
WE-M 1.5x1	M 45x2	148	89	25	39.6	31
WS-M 1.5x1	M 45x2	148	89	25	39.6	31
WP-M 1.5x1	M 45x2	148	89	25	39.6	31
WE-M 1.5x2	M 45x2	198	114	50	39.6	31
WS-M 1.5x2	M 45x2	198	114	50	39.6	31
WP-M 1.5x2	M 45x2	198	114	50	39.6	31
WE-M 1.5x3	M 45x2	248	139	75	39.6	31
WS-M 1.5x3	M 45x2	248	139	75	39.6	31
WP-M 1.5x3	M 45x2	248	139	75	39.6	31
M2.0						
WE-M 2.0x1	M 62x2	186	104	25	59	49
WS-M 2.0x1	M 62x2	186	104	25	59	49
WP-M 2.0x1	M 62x2	186	104	25	59	49
WE-M 2.0x2	M 62x2	236	129	50	59	49
WS-M 2.0x2	M 62x2	236	129	50	59	49
WP-M 2.0x2	M 62x2	236	129	50	59	49
WE-M 2.0x4	M 62x2	336	179	100	59	49
WS-M 2.0x4	M 62x2	336	179	100	59	49
WP-M 2.0x4	M 62x2	336	179	100	59	49
WE-M 2.0x6	M 62x2	453	246	150	59	49
WS-M 2.0x6	M 62x2	453	246	150	59	49
WP-M 2.0x6	M 62x2	453	246	150	59	49
M3.0						
WE-M 3.0x2	M 85x2	319	225	50	80	66
WS-M 3.0x2	M 85x2	319	225	50	80	66
WP-M 3.0x2	M 85x2	319	225	50	80	66
WE-M 3.0x4	M 85x2	419	275	100	80	66
WS-M 3.0x4	M 85x2	419	275	100	80	66
WP-M 3.0x4	M 85x2	419	275	100	80	66
WE-M 3.0x6	M 85x2	569	325	150	80	66
WS-M 3.0x6	M 85x2	569	325	150	80	66
WP-M 3.0x6	M 85x2	569	325	150	80	66
WE-M 3.0x8	M 85x2	669	375	200	80	66
WS-M 3.0x8	M 85x2	669	375	200	80	66
WP-M 3.0x8	M 85x2	669	375	200	80	66
WE-M 3.0x10	M 85x2	769	425	250	80	66
WS-M 3.0x10	M 85x2	769	425	250	80	66
WP-M 3.0x10	M 85x2	769	425	250	80	66

FIAP
S.p.a.

Deceleratori



M4.0

WE-M 4.0x2	M 115x2	319	225	50	80	66
WS-M 4.0x2	M 115x2	319	225	50	80	66
WP-M 4.0x2	M 115x2	319	225	50	80	66
WE-M 4.0x4	M 115x2	419	275	100	80	66
WS-M 4.0x4	M 115x2	419	275	100	80	66
WP-M 4.0x4	M 115x2	419	275	100	80	66
WE-M 4.0x6	M 115x2	569	325	150	80	66
WS-M 4.0x6	M 115x2	569	325	150	80	66
WP-M 4.0x6	M 115x2	569	325	150	80	66
WE-M 4.0x8	M 115x2	669	375	200	80	66
WS-M 4.0x8	M 115x2	669	375	200	80	66
WP-M 4.0x8	M 115x2	669	375	200	80	66
WE-M 4.0x10	M 115x2	769	425	250	80	66
WS-M 4.0x10	M 115x2	769	425	250	80	66
WP-M 4.0x10	M 115x2	769	425	250	80	66

Accessori

Deceleratori Serie WM-E



Codice	Filetto	A	B	Corsa HB	D
<i>WM-E1.5 - WM-E2.0</i>		mm	mm	mm	Ø
WM-E 1.5m x 1	M42x1.5	144	94	25	14
WM-E 1.5m x 2	M42x1.5	205	120	50	14
WM-E 1.5m x 3	M42x1.5	251	145	75	14
WM-E 2.0m x 1	M62x2	176	116	25	22
WM-E 2.0m x 2	M62x2	225	140	50	22
WM-E 2.0m x 4	M62x2	330	190	100	22
WM-E 2.0m x 6	M62x2	430	240	150	22
<i>WM-E3.0 - WM-E4.0</i>					
WM-E 3.0m x 2	M85x2	258	155	50	28
WM-E 3.0m x 3.5	M85x2	327	183	90	28
WM-E 3.0m x 4	M85x2	360	206	100	28
WM-E 3.0m x 5	M85x2	407	218	125	28
WM-E 3.0m x 6	M85x2	471	256	150	28
WM-E 4.0m x 2	M115x2	313	203	50	36
WM-E 4.0m x 4	M115x2	414	254	100	36
WM-E 4.0m x 6	M115x2	516	305	150	36
WM-E 4.0m x 8	M115x2	643	356	200	36
WM-E 4.0m x 10	M115x2	765	406	250	36

FIAP
S.p.A.

Deceleratori

Deceleratori acciaio inossidabile

Disponibili nelle seguenti versioni

Filettatura	M 4 x 0.35	M 5 x 0.5	M 6 x 0.5
Serie	WS-M 4x4-1/2	WS-M 5x4-1/2	WS-M 6x5-1/2/3
Filettatura	M 8 x 1	M 10 x 1	M 12 x 1
Serie	WS-M 8x5-1/2/3 WS-M 0.1-1/2/3 WP-M 0.1-1/2/3	WS-M 10x6-1/2/3 WS-M 10x8-1/2/3 WE-M 0.15 WS-M 0.15-1/2/3/4 WP-M 0.15-1/2/3 WEB-M 0.15 WSB-M 0.15-1/2/3/4 WPB-M 0.15-1/2/3	WS-M 12x10-1/2/3 WE-M 0.2 WS-M 0.2-1/2/3/4 WP-M 0.2-1/2/3 WEB-M 0.2 WSB-M 0.2-1/2/3/4 WPB-M 0.2-1/2/3
Filettatura	M 14 x 1 M 14 x 1.5 (L)	M 16 x 1 M 16 x 1.5 (L)	M 20 x 1 M 20 x 1.5 (L)
Serie	WE-M 0.25 WS-M 0.25-0/1/2/3/4 WP-M 0.25-1/2/3 WEB-M 0.25 WSB-M 0.25-0/1/2/3/4 WPB-M 0.25-1/2/3	WE-M 0.35 WS-M 0.35-0/1/2/3/4 WP-M 0.35-1/2/3	WE-M 0.5x19 WS-M 0.5x19-0/1/2/3/4 WP-M 0.5x19-1/2/3 WS-M 0.5x13-0/1/2/3/4 WP-M 0.5x13-1/2/3 WE-M 0.5x40 WS-M 0.5x40-0/1/2/3/4 WP-M 0.5x40-1/2/3 WEB-M 0.5x19 WSB-M 0.5x19-0/1/2/3/4 WPB-M 0.5x19-1/2/3 WPA-M 0.5
Filettatura	M 20 x 1.5	M 24 x 1.5 M 25 x 1.5 (T) M 27 x 3 (R)	M 25 x 1.5
Serie	WSK-M 0.5-1/2/3	WE-M 1.0 WS-M 1.0-0/1/2/3/4 WP-M 1.0-1/2/3 WE-M 1.0x40 WS-M 1.0x40-0/1/2/3/4 WP-M 1.0x40-1/2/3 WEB-M 1.0 WSB-M 1.0-0/1/2/3/4 WPB-M 1.0-1/2/3 WPA-M 1.0	WSK-M 1.0-1/2/3
Filettatura	M 30 x 1.5	M 32 x 1.5 M 33 x 1.5 (H)	M 32 x 1.5
Serie	WSK-M 1.1-1/2/3	WS-M 1.25x1-0/1/2/3/4 WP-M 1.25x1-1/2/3 WS-M 1.25x2-0/1/2/3/4 WP-M 1.25x2-1/2/3	WSK-M 1.25-1/2/3
Filettatura	M 45 x 2 M 45 x 1.5 (L) M 42 x 1.5 (K)	M 62 x 2 M 64 x 2 (L)	
Serie	WS-M 1.5x1-0/1/2/3/4 WP-M 1.5x1-1/2/3 WS-M 1.5x2-0/1/2/3/4 WP-M 1.5x2-1/2/3 WS-M 1.5x3-0/1/2/3/4 WP-M 1.5x3-1/2/3	WS-M 2.0x1-0/1/2/3/4 WP-M 2.0x1-1/2/3 WS-M 2.0x2-0/1/2/3/4 WP-M 2.0x2-1/2/3 WS-M 2.0x4-0/1/2/3/4 WP-M 2.0x4-1/2/3 WS-M 2.0x6-0/1/2/3/4 WP-M 2.0x6-1/2/3	

Esempio d'ordinazione:

Standard = WE-M 0.25

Acciaio inossidabile = WE-M 0.25 -VA