

# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-L001078  
**Report Reference** MH49479-20140221  
**Date** 20-Dec-2019

**Issued to:** PNEUMAX S P A  
VIA CASCINA BARBELLINA 10 LURANO , BG,  
Italy 24050

**This is to certify that representative samples of** YIOZ2 - Valves, Electrically Operated - Component  
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**Standard(s) for Safety:**

**Additional Information:** See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC




Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-L001078  
**Report Reference** MH49479-20140221  
**Date** 20-Dec-2019

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

| <b>Model</b>   | <b>Category Description</b>                   |
|--|---|
| <b>Enova</b> , Series E, followed by a four digits code of numbers 0-9 included or letters, followed by a five digits code of numbers 0-9 included, followed by 1, 2, 3, 4, 5, 6, 7, 8, 9, A, E, F, G, H, J, K, L, M, N, P, R, S, T, U, V, W, X, Y or Z, followed by a one digit number 0-9 included or a letter.    | General purpose valves, Multi pole connection |
| <b>OPTYMA-S</b> , Series S, followed by a four digits code of numbers 0-9 included or letters, followed by a five digits code of numbers 0-9 included, followed by 1, 2, 3, 4, 5, 6, 7, 8, 9, A, E, F, G, H, J, K, L, M, N, P, R, S, T, U, V, W, X, Y or Z, followed by a one digit number 0-9 included or a letter. | General purpose valves, Multi pole connection |
| <b>OPTYMA-S</b> , Series 22, followed by 41, followed by .52.00, .53.31, .62.44, .62.55, .62.45 or .62.54, followed by .35, .36 or .39, followed by .02, .05 or .12  | General-purpose valve                         |
| <b>Enova</b> , Series 23, followed by 0 or 1, followed by 4, 6 or 8, followed by .52.00, .53.31, .62.44, .62.55, .62.45, .62.54, .42.44, .42.55 or .42.45, followed by .35, .36 or .39, followed by .01, .02 or .12.   | General-purpose valve                         |



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-L000428  
**Report Reference** MH49479-20140221  
**Date** 20-Dec-2019

**Issued to:** PNEUMAX S P A  
VIA CASCINA BARBELLINA 10 LURANO , BG,  
Italy 24050

**This is to certify that representative samples of** YIOZ8 - Valves, Electrically Operated Certified for Canada - Component  
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.


**Standard(s) for Safety:**

**Additional Information:** See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-L000428  
**Report Reference** MH49479-20140221  
**Date** 20-Dec-2019

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

| <b>Model</b>   | <b>Category Description</b>                   |
|--|---|
| <b>Enova</b> , Series E, followed by a four digits code of numbers 0-9 included or letters, followed by a five digits code of numbers 0-9 included, followed by 1, 2, 3, 4, 5, 6, 7, 8, 9, A, E, F, G, H, J, K, L, M, N, P, R, S, T, U, V, W, X, Y or Z, followed by a one digit number 0-9 included or a letter.    | General purpose valves, Multi pole connection |
| <b>OPTYMA-S</b> , Series S, followed by a four digits code of numbers 0-9 included or letters, followed by a five digits code of numbers 0-9 included, followed by 1, 2, 3, 4, 5, 6, 7, 8, 9, A, E, F, G, H, J, K, L, M, N, P, R, S, T, U, V, W, X, Y or Z, followed by a one digit number 0-9 included or a letter. | General purpose valves, Multi pole connection |
| <b>OPTYMA-S</b> , Series 22, followed by 41, followed by .52.00, .53.31, .62.44, .62.55, .62.45 or .62.54, followed by .35, .36 or .39, followed by .02, .05 or .12  | General-purpose valve                         |
| <b>Enova</b> , Series 23, followed by 0 or 1, followed by 4, 6 or 8, followed by .52.00, .53.31, .62.44, .62.55, .62.45, .62.54, .42.44, .42.55 or .42.45, followed by .35, .36 or .39, followed by .01, .02 or .12.   | General-purpose valve                         |



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>