Certificate Number Report Reference Date	UL-CA-2000078-2 MH49479-20200515 23-Sep-2022
Issued to:	PNEUMAX S P A VIA CASCINA BARBELLINA 10 LURANO, BG 24050 Italy
This is to certify that presentative samples of	YIOZ8 - Valves, Electrically Operated Certified for Canada - Component
	See Addendum Page for Product Designation(s).
	Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety:	CSA C22.2 No. 139-2019, 5th Ed., Issued 1 Dec 2019
Additional Information:	See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

a mally K

Bruce Mahrenholz, Director North American Certification Program

re

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate Number Report Reference Date UL-CA-2000078-2 MH49479-20200515 23-Sep-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Solenoid Valves - Series 3000, Type no. 3, followed by 1 or 4, followed by 1, followed by 5 or 7, followed by .42.44, .42.55, .42.45, .52.00, .53.31, .62.44, .62.55, .62.45 or .62.54, followed by .2 or .3, followed by 5, 6 or 9, followed by .01, .02, .21, .22, .32 or .82.	General-purpose valve
Solenoid Valves - Series 3000, Type no. 3, , followed by 1 or 4, followed by 4, followed by 1, followed by .42.44, .42.55, .42.45, .52.00, .53.31, .62.44, .62.55, .62.45 or .62.54, followed by .2 or .3, followed by 5, 6 or 9, followed by .02.	General-purpose valve
Manifold Valves - Series 3000, Type no. 3, , followed by 1 or 4, followed by a three or four digits code of numbers 0-9 included or letters, followed by a four digits code of numbers 0-9 included, followed by a number from 1 to 9 or a letter from A to Z.	General-purpose valve
Type no. PX3P, , followed by a two digits code of numbers 0-9 included or letters, followed by a four digits code of numbers 1-9 included, followed by a number from 1 to 9 or a letter from A to Z.	General-purpose valve

Bamely



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate Number Report Reference Date UL-US-2000171-2 MH49479-20200515 23-Sep-2022

Issued to: PNEUMAX S P A VIA CASCINA BARBELLINA 10 LURANO, BG 24050 Italy

This is to certify that representative samples of

YIOZ2 - Valves, Electrically Operated - Component See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety:	UL 429, 7th Ed., Issue Date: 2013-11-06, Revision Date: 2021-03-19

Additional Information: See the UL Online Certifications Directory at <u>https://iq.ulprospector.com</u> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate Number Report Reference Date UL-US-2000171-2 MH49479-20200515 23-Sep-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Solenoid Valves - Series 3000, Type no. 3, followed by 1 or 4, followed by 1, followed by 5 or 7, followed by .42.44, .42.55, .42.45, .52.00, .53.31, .62.44, .62.55, .62.45 or .62.54, followed by .2 or .3, followed by 5, 6 or 9, followed by .01, .02, .21, .22, .32 or .82.	General-purpose valve
Manifold Valves - Series 3000, Type no. 3, , followed by 1 or 4, followed by a three or four digits code of numbers 0-9 included or letters, followed by a four digits code of numbers 0-9 included, followed by a number from 1 to 9 or a letter from A to Z.	General-purpose valve
Solenoid Valves - Series 3000, Type no. 3, , followed by 1 or 4, followed by 4, followed by 1, followed by .42.44, .42.55, .42.45, .52.00, .53.31, .62.44, .62.55, .62.45 or .62.54, followed by .2 or .3, followed by 5, 6 or 9, followed by .02.	General-purpose valve
Type no. PX3P, , followed by a two digits code of numbers 0-9 included or letters, followed by a four digits code of numbers 1-9 included, followed by a number from 1 to 9 or a letter from A to Z.	General-purpose valve

Bamely



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/