Certificate Number UL-US-2000171-0
Report Reference MH49479-20200515

Date 26-May-2020

Issued to: PNEUMAX S P A

VIA CASCINA BARBELLINA 10 LURANO, BG,

Italy 24050

This is to certify that representative samples of

YIOZ2 - Valves, Electrically Operated - Component See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL 429 - 7th Ed - Issued 6 Nov 2013 - Revised 16 Jan 2020

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.





Certificate Number UL-US-2000171-0 **Report Reference** MH49479-20200515 **Date**

26-May-2020

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Manifold Valves - Series 3000, Type no. 3, , followed by 1, 4 or 8, followed by a three or four digits code of numbers 0-9 included or letters, followed by a four digits code of numbers 0-9 included, followed by a number from 1 to 9 or a letter from A to Z.	General-purpose valve
Solenoid Valves - Series 3000, Type no. 3, , followed by 1, 4 or 8, followed by 4, followed by 1, followed by .42.44, .42.55, .42.45, .52.00, .53.31, .62.44, .62.55, .62.45 or .62.54, followed by .2 or .3, followed by 5, 6 or 9, followed by .02.	General-purpose valve
Solenoid Valves - Series 3000, Type no. 3, followed by 1, 4 or 8, followed by 1, followed by 5 or 7, followed by .42.44, .42.55, .42.45, .52.00, .53.31, .62.44, .62.55, .62.45 or .62.54, followed by .2 or .3, followed by 5, 6 or 9, followed by .01, .02, .21, .22, .32 or .82.	General-purpose valve





Certificate Number UL-CA-2000078-0
Report Reference MH49479-20200515

Date 26-May-2020

Issued to: PNEUMAX S P A

VIA CASCINA BARBELLINA 10 LURANO, BG,

Italy 24050

This is to certify that representative samples of

YIOZ8 - Valves, Electrically Operated Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: CSA C22.2 No. 139-2013 - Revised 1 Feb 2016


Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.





Certificate Number UL-CA-2000078-0
Report Reference MH49479-20200515

Date 26-May-2020

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Manifold Valves - Series 3000, Type no. 3, , followed by 1, 4 or 8, followed by a three or four digits code of numbers 0-9 included or letters, followed by a four digits code of numbers 0-9 included, followed by a number from 1 to 9 or a letter from A to Z.	General-purpose valve
Solenoid Valves - Series 3000, Type no. 3, , followed by 1, 4 or 8, followed by 4, followed by 1, followed by .42.44, .42.55, .42.45, .52.00, .53.31, .62.44, .62.55, .62.45 or .62.54, followed by .2 or .3, followed by 5, 6 or 9, followed by .02.	General-purpose valve
Solenoid Valves - Series 3000, Type no. 3, , followed by 1, 4 or 8, followed by 1, followed by 5 or 7, followed by .42.44, .42.55, .42.45, .52.00, .53.31, .62.44, .62.55, .62.45 or .62.54, followed by .2 or .3, followed by 5, 6 or 9, followed by .01, .02, .21, .22, .32 or .82.	General-purpose valve





Bruce Mahrenholz, Director North American Certification Program