

Certificate of Compliance

Certificate Number(s):

UL-US-L001078-5

Report Reference:

MH49479-20140221

Issue Date:

2026-01-21

Issued to:

**PNEUMAX S P A
VIA CASCINA BARBELLINA 10, LURANO, BG, 24050, IT**

This certificate confirms that representative samples of:

YIOZ2 - Valves, Electrically Operated - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 429, 7th Ed., Issue Date: 2013-11-6, Revision Date: 2021-3-19

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-L001078-5
Report reference: MH49479-20140221
Issue Date: 2026-01-21

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

General purpose valves, Multi pole connection

Model(s): Enova, : Series E followed by a four digits code of numbers 0-9 included or letters, followed by a five digits code of numbers 0-9 included, followed by 1, 2, 3, 4, 5, 6, 7, 8, 9, A, E, F, G, H, J, K, L, M, N, P, R, S, T, U, V, W, X, Y or Z, followed by a one digit number 0-9 included or a letter.

General-purpose valve

Model(s): Enova, : Series 23 followed by 0 or 1, followed by 4, 6 or 8, followed by .52.00, .53.31, .62.44, .62.55, .62.45, .62.54, .42.44, .42.55 or .42.45, followed by .35, .36 or .39, followed by .01, .02 or .12.

Model(s): OPTYMA-S, : Series 22 followed by 41, followed by .52.00, .53.31, .62.44, .62.55, .62.45 or .62.54, followed by .35, .36 or .39, followed by .01, .02, .05 or .12

Model(s): OPTYMA-S, : Series S followed by a three or four digits code of numbers 0-9 included or letters, followed by a five digits code of numbers 0-9 included, may be followed by 1, 2, 3, 4, 5, 6, 7, 8, 9, A, E, F, G, H, J, K, L, M, N, P, R, S, T, U, V, W, X, Y or Z, may be followed by a one digit number 0-9 included or a letter.

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number(s):

UL-CA-L000428-5

Report Reference:

MH49479-20140221

Issue Date:

2026-01-21

Issued to:

PNEUMAX S P A

VIA CASCINA BARBELLINA 10, LURANO, BG, 24050, IT

This certificate confirms that representative samples of:

YIOZ8 - Valves, Electrically Operated Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA C22.2 No. 139, Edition 5, Issue Date 2019-12, Revision Date 2023-03

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch

UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-L000428-5
Report reference: MH49479-20140221
Issue Date: 2026-01-21

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

General purpose valves, Multi pole connection

Model(s): Enova, : Series E followed by a four digits code of numbers 0-9 included or letters, followed by a five digits code of numbers 0-9 included, followed by 1, 2, 3, 4, 5, 6, 7, 8, 9, A, E, F, G, H, J, K, L, M, N, P, R, S, T, U, V, W, X, Y or Z, followed by a one digit number 0-9 included or a letter.

General-purpose valve

Model(s): Enova, : Series 23 followed by 0 or 1, followed by 4, 6 or 8, followed by .52.00, .53.31, .62.44, .62.55, .62.45, .62.54, .42.44, .42.55 or .42.45, followed by .35, .36 or .39, followed by .01, .02 or .12.

Model(s): OPTYMA-S, : Series 22 followed by 41, followed by .52.00, .53.31, .62.44, .62.55, .62.45 or .62.54, followed by .35, .36 or .39, followed by .01, .02, .05 or .12

Model(s): OPTYMA-S, : Series S followed by a three or four digits code of numbers 0-9 included or letters, followed by a five digits code of numbers 0-9 included, may be followed by 1, 2, 3, 4, 5, 6, 7, 8, 9, A, E, F, G, H, J, K, L, M, N, P, R, S, T, U, V, W, X, Y or Z, may be followed by a one digit number 0-9 included or a letter.

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.